

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 358 | (grid or mesh)same(NURBS or non adj uniform adj rational adj B adj Spline) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:57 |
| L2 | 193 | L1 and (@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:57 |
| L3 | 140 | L2 and (curve or bilinear) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:58 |
| L4 | 47 | L2 and (curve or bilinear)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:58 |
| L5 | 44 | L4 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:58 |
| L6 | 39 | L5 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 16:59 |
| L7 | 1 | L6 and break\$3 and polygon adj mesh and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:02 |

| | | | | | | |
|-----|---|---|---|----|----|---------------------|
| L8 | 1 | L7 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:03 |
| L9 | 1 | L6 and break\$3 and polygon adj mesh and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:05 |
| L10 | 1 | L6 and break\$3 and polygon adj mesh and(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:06 |
| L11 | 1 | L10 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:06 |
| L12 | 0 | L11 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:07 |
| L13 | 0 | L11 and digitizing and object and(creat\$3 or obtaining or generat\$3)and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:08 |
| L14 | 0 | L11 and digitizing and object and(creat\$3 or obtaining or generat\$3)and mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:08 |
| L15 | 1 | L11 and(surface adj model or solid adj model) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:09 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| L16 | 0 | L11 and(surface adj model or solid adj model)same polygon | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:09 |
| L17 | 1 | L15 and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:12 |
| L18 | 1 | L6 and break\$3 and polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:13 |
| L19 | 0 | L6 and break\$3 same polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:13 |
| L20 | 0 | L19 and break\$3 and polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:14 |
| L21 | 1 | L17 and break\$3 and polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:14 |
| L22 | 0 | L21 and stitching | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:21 |
| L23 | 18 | L4 and (polygonal adj mesh or polygon adj mesh) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:30 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| L24 | 15 | L23 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:30 |
| L25 | 1 | L24 and break\$3 and polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:31 |
| L26 | 0 | L17 and break\$3 same polygon adj mesh same(bilinear or curve)and(NURBS or non adj uniform adj rational adj B adj Spline)same(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:34 |
| L27 | 0 | L17 and stitching | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/05 17:34 |
| S1 | 2 | (creat\$3 or obtaining or generat\$3)and (three adj dimensional or 3D or 3-D)same(model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:07 |
| S2 | 0 | S1 and (@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:10 |
| S3 | 2 | (creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:11 |
| S4 | 2 | S3 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:13 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S5 | 0 | S4 and stitch\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:14 |
| S6 | 3 | ((CHRISTOF) near2 (HOLBERG)).INV. | US-PGPUB; USPAT | OR | ON | 2008/08/28 16:14 |
| S7 | 0 | S6 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:14 |
| S8 | 0 | S6 and(creat\$3 or obtaining or generat\$3)and (three adj dimensional or 3D or 3-D)same (model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:15 |
| S9 | 0 | S6 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:17 |
| S10 | 0 | S3 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:18 |
| S11 | 0 | S4 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/28 16:18 |
| S12 | 30066 | ((IGES or intial adj graphics adj exchange adj specification) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:26 |
| S13 | 3187 | S12 and (CAD OR CAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:26 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S14 | 1297 | S13 and @ad< "20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
| S15 | 0 | S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
| S16 | 0 | S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
| S17 | 739 | S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:27 |
| S18 | 36 | S17 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:28 |
| S19 | 4 | S18 and (stitch\$3 or uniting) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:35 |
| S20 | 342 | (IGES or intial adj graphics adj exchange adj specification)same files | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:38 |
| S21 | 282 | S20 and (CAD OR CAM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:38 |

| | | | | | | |
|-----|--------|--|---|----|----|---------------------|
| S22 | 131 | S21 and @ad< "20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:38 |
| S23 | 86 | S22 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:39 |
| S24 | 11 | S23 and triangular | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/29 11:39 |
| S25 | 167863 | (creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model\$1 or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 13:55 |
| S26 | 1 | S25 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 13:59 |
| S27 | 13 | S25 and(creat\$3 or obtaining)adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:00 |
| S28 | 1 | S27 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:01 |
| S29 | 1 | S27 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:07 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S30 | 0 | S29 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:07 |
| S31 | 6116 | 382/154,151,173,181,190,254,276,294,293.CCLS. | USPAT | OR | ON | 2009/05/02 14:12 |
| S32 | 1580 | S31 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 14:12 |
| S33 | 1 | S32 and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:12 |
| S34 | 0 | S33 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 14:13 |
| S35 | 1 | S33 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604") | USPAT | OR | ON | 2009/05/02 14:18 |
| S36 | 0 | S33 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 14:20 |
| S37 | 0 | S35 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1) | USPAT | OR | ON | 2009/05/02 14:20 |
| S38 | 8649 | 345/420,423,419,582,428,581,473,421,619,427,646,647,441,440.CCLS. | USPAT | OR | ON | 2009/05/02 14:23 |
| S39 | 3710 | S38 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 14:23 |
| S40 | 1 | S39 and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:24 |
| S41 | 213 | S39 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:24 |
| S42 | 0 | S41 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 14:25 |
| S43 | 0 | S41 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1) | USPAT | OR | ON | 2009/05/02 14:25 |
| S44 | 45 | S39 and(creat\$3 or obtaining)same polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:26 |
| S45 | 0 | S44 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 14:27 |
| S46 | 39 | S44 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:27 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S47 | 35 | S44 and @ad<"20020604" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 14:33 |
| S48 | 0 | S47 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1) | USPAT | OR | ON | 2009/05/02 15:14 |
| S49 | 4 | S47 and bilinear | USPAT | OR | ON | 2009/05/02 15:14 |
| S50 | 2514 | 703/1,2.CCLS. | USPAT | OR | ON | 2009/05/02 15:25 |
| S51 | 879 | S50 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:26 |
| S52 | 18 | S51 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:26 |
| S53 | 0 | S52 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:26 |
| S54 | 0 | S52 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:27 |
| S55 | 358 | 702/1,5.CCLS. | USPAT | OR | ON | 2009/05/02 15:28 |
| S56 | 93 | S55 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:28 |
| S57 | 1 | S56 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:28 |
| S58 | 0 | S57 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:29 |
| S59 | 0 | S57 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:29 |
| S60 | 127 | 706/919.ccls. | USPAT | OR | ON | 2009/05/02 15:30 |
| S61 | 36 | S60 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:30 |
| S62 | 0 | S61 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:30 |
| S63 | 0 | S61 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:30 |
| S64 | 0 | S61 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:30 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S65 | 603 | 700/182.ccls. | USPAT | OR | ON | 2009/05/02 15:31 |
| S66 | 312 | S65 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:31 |
| S67 | 3 | S66 and(creat\$3 or obtaining)and polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:32 |
| S68 | 0 | S67 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:32 |
| S69 | 0 | S67 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:32 |
| S70 | 3 | S67 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604") | USPAT | OR | ON | 2009/05/02 15:33 |
| S71 | 2 | S67 and @ad<"20020604" | USPAT | OR | ON | 2009/05/02 15:33 |
| S72 | 195 | 715/964.ccls. | USPAT | OR | ON | 2009/05/02 15:34 |
| S73 | 94 | S72 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | USPAT | OR | ON | 2009/05/02 15:35 |
| S74 | 0 | S73 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | USPAT | OR | ON | 2009/05/02 15:35 |
| S75 | 0 | S73 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches | USPAT | OR | ON | 2009/05/02 15:35 |
| S76 | 1 | (creat\$3 and(three adj dimensional or 3D or 3-D)and(model\$1 or template)and polygon adj mesh and breaking and polygon adj mesh bilinear adj nurbs and uniting and form and continuous adj surface and composite and(surface adj model or model\$1)).CLM. | US-PGPUB | OR | ON | 2009/05/02 15:42 |
| S77 | 93 | ((("6037949" or ("6222553" or ("6222553" or ("6256038" or ("6271856" or ("6356263" or ("6476804" or ("6806874" or ("6853373" or ("6906718" or ("6956568" or ("6996505" or ("7236170" or ("7274364" or ("20020158880" or ("20030020710" or ("20030128209" or ("20040102866" or ("20040170302" or ("20040189633" or ("20050073520" or ("20050128210" or ("20050128211" or ("20050168463" or ("20060017723" or ("20060098008" or ("20070030267" or ("20070030268" or ("20080074419" or ("20080084414" or ("6489960" or ("6873944" or ("7191104" or ("20010002131" or ("20040010346" or ("20060056695" or ("5581672" or ("5856828" or ("5510995" or ("5627949" or ("6317126" or ("6373489" or ("6567087" or ("6600485" or ("6670962" or ("6683620" or ("6731280" or ("6943789" or ("6958752" or ("7035716" or (").pn.))).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/05/02 15:49 |
| S78 | 56 | S77 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:51 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S79 | 18 | S78 and(creat\$3 or obtaining)and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:51 |
| S80 | 1 | S79 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:52 |
| S81 | 2 | S79 and digitizing and object and(creat\$3 or obtaining)and polygon adj mesh | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:52 |
| S82 | 1 | S81 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:52 |
| S83 | 0 | S82 and(@ad<"20020604" or @riad<"20020604" or @prad<"20020604" or @ptad<"20020604") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/02 15:53 |

5/ 5/ 09 5:34:29 PM

C:\Documents and Settings\Schawan\My Documents\EAST\Workspaces\6882.wsp